

NOSIBLE Delete Search - Data Dictionary V2.1.0

As of: 2026-07-20

This document describes every input and output field of the NOSIBLE Delete Search endpoint so that a technical reader can understand the API at a glance. Delete Search ([POST https://www.nosible.ai/search/v2/delete-search](https://www.nosible.ai/search/v2/delete-search)) permanently deletes a saved search from the crawl feed, turning off the corresponding web alert.

This is a beta endpoint. Access requires an alpha access code, supplied by NOSIBLE, passed as [internal_use.crawl_feed_alpha](#). Requests without it fail with HTTP 401. Old pipe-format API keys are not supported; get a new key at app.nosible.com.

Interactive API documentation: this endpoint is documented live in the NOSIBLE Swagger UI at <https://www.nosible.ai/search/v2/docs/> (OpenAPI spec: <https://www.nosible.ai/search/v2/openapi.json>). The version of this data dictionary tracks the API version published there: this document describes NOSIBLE V2.1.0.

Contents

Request Headers.....	2
Input Fields.....	2
Output Fields.....	2
Example Request and Response.....	3

Request Headers

Every request to this endpoint is an HTTP POST with a JSON body. Authentication is handled by a single header, documented below. You should also send **Content-Type: application/json**, and **Accept-Encoding: gzip** is recommended to cut transfer sizes.

Header	Details
api-key	Definition: Your NOSIBLE Search API key. To get an API key please visit app.nosible.com , where you can manage organizations, users, subscriptions, and API keys. Type: string Length: 42–50 characters Required: Yes - requests without a valid key fail with HTTP 422. Example: "nos_sk_XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX"

Input Fields

Delete Search takes the ID of the search to delete, plus the internal-use block carrying your alpha access code.

Input Field	Details
search_id	Definition: The ID of the saved search to permanently delete. Type: string Required: Yes Example: "b3f5c1e2-8a9d-4f60-9c2b-7d41e8a3f0aa"
internal_use	Definition: Internal-only. Must carry your alpha access code as crawl_feed_alpha . Type: object Default: {} Example: <pre>{ "crawl_feed_alpha": "YOUR_ALPHA_ACCESS_CODE" }</pre>

Output Fields

A successful deletion returns HTTP 200 with the ID of the deleted search.

Output Field	Details
message	Definition: A human-readable acknowledgement. Type: string Example: "Search was deleted."
response	Definition: The wrapper of the result payload. Type: object Fields: search_id (str) - the ID of the search that was deleted Example: <pre>{ "search_id": "b3f5c1e2-8a9d-4f60-9c2b-7d41e8a3f0aa" }</pre>

Example Request and Response

The example below deletes a saved search end to end. All field values are illustrative.

Example Request:

```
import requests

response = requests.post(
    url="https://www.nosible.ai/search/v2/delete-search",
    json={
        "search_id": "b3f5c1e2-8a9d-4f60-9c2b-7d41e8a3f0aa",
        "internal_use": {
            "crawl_feed_alpha": "YOUR_ALPHA_ACCESS_CODE"
        }
    },
    headers={
        "Accept-Encoding": "gzip",
        "Content-Type": "application/json",
        "api-key": "YOUR_NOSIBLE_API_KEY"
    }
)

print(response.json())
```

Example Response:

```
{
  "message": "Search was deleted.",
  "response": {
    "search_id": "b3f5c1e2-8a9d-4f60-9c2b-7d41e8a3f0aa"
  }
}
```

}